

ADVERTISEMENT FOR BIDS

Notice is hereby given that sealed bids will be received by the City of Beverly, Burlington County, New Jersey, for the 2021 Road Program (the "Project") until **10:30 AM prevailing time on January 31, 2023**, at which time the bids will be opened and publicly read aloud in the office of the Municipal Clerk at 446 Broad Street, City of Beverly, New Jersey. Bids received after the designated time shall be deemed unresponsive and shall not be opened.

The Project generally includes roadway improvements on Jennings Street, Church Street, Perkins Street, and Parker Street in the City of Beverly, Burlington County, New Jersey complete in every detail as shown or specified, for the prices bid in the Proposal.

Drawings, specifications, and contract documents for the proposed Project, prepared by Environmental Resolutions, Inc., Consulting Engineers, have been filed in the Office of the City Engineer at 815 East Gate Drive – Suite 103, Mount Laurel, New Jersey 08054, and may be inspected by prospective bidders during normal business hours.

Bidders may obtain copies of the drawings, specifications and contract documents from the Office of the City Engineer upon payment of Fifty Dollars and Zero Cents (\$50.00). Checks should be made payable to Environmental Resolutions Inc. The payment for such documents is non-refundable. If the bidder requires the documents to be mailed to them, there is an additional Fifteen Dollars and Zero Cents (\$15.00) fee for postage.

Bids must be made on the standard Bid form contained within the drawings, specifications, and contract documents, in the manner designated therein and required by the specifications. Further, bids must be enclosed in a sealed envelope bearing the name and address of the bidder and the Project title on the outside, and addressed to: Beverly City Administrator, Frank Costello Municipal Building, 446 Broad Street, City of Beverly, New Jersey 08010.

Each bid must be accompanied by (i) all documents listed on the Bid Document Submission Checklist, as applicable, and (ii) a bid guarantee in an amount not less than Ten Percent (10%) of the total bid price as established in the Bid, not to exceed Twenty Thousand Dollars and Zero Cents (\$20,000.00). The bid guarantee must be in the form of a bid bond, certified check, or cashier's check, must be drawn to the order of the City of Beverly and must be delivered simultaneous with the sealed bid.

Bidders are required to comply with the requirements of N.J.S.A. 10:5-31 et seq., N.J.A.C.17:27, and all other applicable laws referenced within the drawings, specifications and contract documents.

This project is being partially funded by an NJDOT grant.

The City of Beverly reserves the right to (i) reject all bids pursuant to N.J.S.A. 40A:11-13.2 and (ii) to waive minor informalities and/or non-material exceptions in any bid should it be in the interest of the City of Beverly to do so. Further, the City of Beverly shall reject any bid that contains material nonconformities or conditions or which is materially nonresponsive. In the event the City of Beverly does not reject all bids as permitted under N.J.S.A. 40A:11-13.2, in accordance with N.J.S.A. 40A:11-4, and other applicable laws, the Project will be awarded to the lowest responsible bidder.

By order of the Council of the City of Beverly of Beverly, Burlington County, New Jersey.

Base Bid

Item	Description	Quantity	Unit
1	Milling, 4" Thick	1,100.0	SY
2	HMA 19M64 Base Course, 2.5" Thick	160.0	TON
3	HMA 9.5M64 Surface Course, 1.5" Thick	100.0	TON
4	Subbase Repair, If and Where Directed	20.0	SY
5	Remove and Replace Concrete Curb	315.0	LF
6	Remove and Replace with Monolithic Concrete Curb and Gutter	280.0	LF
7	Remove and Replace Concrete Sidewalk, 4" Thick	135.0	SY
8	Remove and Replace Concrete Driveway Apron, 6" Thick	50.0	SY
9	Install Detectable Warning Surface	13.0	SY
10	Reconstruct Inlet, Complete	5.0	UN
11	Install Storm Manhole	2.0	UN
12	Construct Type "B" Inlet	2.0	UN
13	Grout Existing Pipe	1.0	CY
14	Install 8" Dia. DIP	25.0	LF
15	Install 12" Dia. DIP	25.0	LF
16	Install 12" Perforated HDPE Wrapped in Stone	395.0	LF
17	Remove and Replace Traffic Control Sign	1.0	UN
18	Epoxy Striping, 6" Thick	320.0	LF
19	Epoxy Striping, 24" Thick	200.0	LF
20	Remove Existing Tree	5.0	UN
21	Fuel Price Adjustment	300	DOL
22	Asphalt Price Adjustment	700	DOL

Alternate Bid #1

Item	Description	Quantity	Unit
A1-1	Milling, 4" Thick	375.0	SY
A1-2	HMA 19M64 Base Course, 2.5" Thick	60.0	TON
A1-3	HMA 9.5M64 Surface Course, 1.5" Thick	35.0	TON

A1-4	Remove and Replace with Monolithic Concrete Curb and Gutter	295.0	LF
------	---	-------	----

Alternate Bid #2

Item	Description	Quantity	Unit
A2-1	Milling, 4" Thick	40.0	SY
A2-2	HMA 19M64 Base Course, 2.5" Thick	10.0	TON
A2-3	HMA 9.5M64 Surface Course, 1.5" Thick	5.0	TON
A2-4	Reconstruct Inlet, Complete	4.0	UN
A2-5	Install Storm Manhole	1.0	UN
A2-6	Grout Existing Pipe	1.5	CY
A2-7	Remove and Replace 8" Dia. DIP	25.0	LF
A2-8	Install 8" Dia. DIP	45.0	LF
A2-9	Epoxy Striping, 6" Thick	105.0	LF
A2-10	Epoxy Striping, 24" Thick	60.0	LF

Alternate Bid #3

Item	Description	Quantity	Unit
A3-1	Milling, 4" Thick	180.0	SY
A3-2	HMA 19M64 Base Course, 2.5" Thick	30.0	TON
A3-3	HMA 9.5M64 Surface Course, 1.5" Thick	20.0	TON
A3-4	Remove and Replace Concrete Curb	110.0	LF
A3-5	Remove and Replace with Monolithic Concrete Curb and Gutter	515.0	LF
A3-6	Install Header Curb	30.0	LF
A3-7	Reset Existing Granite Curb	80.0	LF
A3-8	Remove and Replace Concrete Sidewalk, 4" Thick	80.0	SY
A3-9	Install Detectable Warning Surface	8.0	SY
A3-10	Remove and Replace Traffic Control Sign	3.0	UN
A3-11	Epoxy Striping, 6" Thick	100.0	LF
A3-12	Epoxy Striping, 24" Thick	90.0	LF
A3-13	Remove Existing Tree	4.0	UN

Alternate Bid #4

Item	Description	Quantity	Unit
A4-1	Milling, 2.5" Thick	370.0	SY
A4-2	HMA 9.5M64 Surface Course, 2.5" Thick	55.0	TON
A4-3	Remove and Replace Asphalt Driveway Apron, 4" Thick	55.0	SY
A4-4	Reconstruct Inlet, Complete	1.0	UN
A4-5	Construct Type "A" Inlet	1.0	UN
A4-6	Install Concrete Inlet Collar, 4" Thick	3.0	SY
A4-7	Grout Existing Pipe	1.0	CY
A4-8	Install 12" Dia. DIP	15.0	LF

Alternate Bid #5

Item	Description	Quantity	Unit
A5-1	Milling, 2.5" Thick	150.0	SY
A5-2	HMA 9.5M64 Surface Course, 2.5" Thick	25.0	TON
A5-3	Remove and Replace Concrete Curb	55.0	LF
A5-4	Remove and Replace with Monolithic Concrete Curb and Gutter	90.0	LF
A5-5	Remove and Replace Asphalt Driveway Apron, 4" Thick	35.0	SY
A5-6	Reconstruct Inlet, Complete	1.0	UN
A5-7	Construct Type "A" Inlet	2.0	UN
A5-8	Install ADA Frame and Grate	1.0	UN
A5-9	Grout Existing Pipe	1.0	CY
A5-10	Install 12" Dia. DIP	15.0	LF
A5-11	Install 12" Perforated HDPE Wrapped in Stone	80.0	LF
A5-12	Remove and Replace Traffic Control Sign	1.0	UN
A5-13	Epoxy Traffic Markings	5.0	SF

Alternate Bid #6

Item	Description	Quantity	Unit
A6-1	Milling, 4" Thick	1,055.0	SY
A6-2	HMA 19M64 Base Course, 2.5" Thick	160.0	TON
A6-3	HMA 9.5M64 Surface Course, 1.5" Thick	95.0	TON

A6-4	Remove and Replace Concrete Curb	50.0	LF
A6-5	Remove and Replace Concrete Sidewalk, 4" Thick	20.0	SY
A6-6	Remove and Replace Concrete Driveway Apron, 6" Thick	30.0	SY
A6-7	Remove and Replace Traffic Control Sign	3.0	UN
A6-8	Epoxy Striping, 24" Thick	20.0	LF
A6-9	Remove Existing Tree	6.0	UN
A6-10	Remove Existing Shrub	2.0	UN