

ENVIRONMENTAL RESOLUTIONS, INC. BID SUMMARY REPORT BID OPENING: 4/9/2025 at 10 AM				2024 & 2025 NJDOT Road Improvement Programs, Cherrix Ave & Washington Ave TOWNSHIP OF EDGEWATER PARK 63055 07 & 08							
				Engineers Estimate		Earle Co.		Asphalt Paving Systems, Inc.		Arawak Paving Co., Inc.	
				815 East Gate Drive #103 Mount Laurel, NJ 08054 P: (856) 235-7170		PO Box 556 Farmingdale, NJ 07727 P: (732)-308-1113 x 206		PO Box 530 Hammonton, NJ 08037 P: (609)-561-4161 x 208		7503 Weymouth Road Hammonton, NJ 08037 P: (609)-561-4100	
NO	DESCRIPTION	QUANTITY	UNIT	UNIT PR.	AMOUNT	UNIT PR.	AMOUNT	UNIT PR.	AMOUNT	UNIT PR.	AMOUNT
Base BID #1: CHERRIX AVE				No Bid Received							
1	Clearing Site	1	LS	\$20,000.00	\$20,000.00	\$34,653.23	\$34,653.23	\$22,774.35	\$22,774.35		
2	Base Repair (If and Where Directed)	940	SY	\$5.00	\$4,700.00	\$0.01	\$9.40	\$0.01	\$9.40		
3	8" Full Depth Reclamation	65	SY	\$27.00	\$1,755.00	\$34.00	\$2,210.00	\$32.65	\$2,122.25		
4	HMA Milling, 0" - 3" Thick	6300	SY	\$7.00	\$44,100.00	\$4.88	\$30,744.00	\$9.20	\$57,960.00		
5	HMA 9.5M64 Surface Course	775	TONS	\$100.00	\$77,500.00	\$99.00	\$76,725.00	\$116.50	\$90,287.50		
6	Fabric Joint Sealing (If and Where Directed)	2500	LF	\$3.00	\$7,500.00	\$0.01	\$25.00	\$0.50	\$1,250.00		
7	Polymerized Joint Adhesive	2050	LF	\$3.00	\$6,150.00	\$0.01	\$20.50	\$0.01	\$20.50		
8	Raised Crosswalk	2	UN	\$2,500.00	\$5,000.00	\$7,500.00	\$15,000.00	\$8,200.00	\$16,400.00		
9	6"x9"x18" Concrete Vertical Curb	1832	LF	\$65.00	\$119,080.00	\$43.00	\$78,776.00	\$45.00	\$82,440.00		
10	Monolithic Concrete Curb and Gutter	95	LF	\$85.00	\$8,075.00	\$75.00	\$7,125.00	\$85.00	\$8,075.00		
11	Concrete Header Curb (If and Where Directed)	50	LF	\$50.00	\$2,500.00	\$30.00	\$1,500.00	\$45.00	\$2,250.00		
12	Concrete Sidewalk, 4" Thick	215	SY	\$110.00	\$23,650.00	\$145.00	\$31,175.00	\$120.00	\$25,800.00		
13	Concrete Sidewalk, 4" Thick (If and Where Directed)	25	SY	\$110.00	\$2,750.00	\$120.00	\$3,000.00	\$120.00	\$3,000.00		
14	Detectable Warning Surface	16	SY	\$300.00	\$4,800.00	\$400.00	\$6,400.00	\$400.00	\$6,400.00		
15	Concrete Driveway, 6" Thick, Reinforced	56	SY	\$160.00	\$8,960.00	\$145.00	\$8,120.00	\$140.00	\$7,840.00		
16	Concrete Driveway, 6" Thick, Reinforced (If and Where Directed)	10	SY	\$160.00	\$1,600.00	\$130.00	\$1,300.00	\$140.00	\$1,400.00		
17	Reconstruct Inlet, Type B, Using New Frame & Grate	8	UN	\$3,000.00	\$24,000.00	\$1,200.00	\$9,600.00	\$2,200.00	\$17,600.00		
18	Reconstruct Inlet, Type B, Using Existing Frame & Grate	1	UN	\$2,500.00	\$2,500.00	\$1,000.00	\$1,000.00	\$1,000.00	\$1,000.00		
19	Inlet Eco Head	9	UN	\$400.00	\$3,600.00	\$450.00	\$4,050.00	\$400.00	\$3,600.00		
20	Remove and Replace Manhole Frame & Casting	9	UN	\$1,200.00	\$10,800.00	\$750.00	\$6,750.00	\$1,000.00	\$9,000.00		
21	Traffic Stripes, Thermoplastic, 8"	475	LF	\$1.00	\$475.00	\$1.60	\$760.00	\$2.00	\$950.00		
22	Traffic Stripes, Thermoplastic, 24"	354	LF	\$5.00	\$1,770.00	\$5.00	\$1,770.00	\$5.00	\$1,770.00		
23	Regulatory and Warning Sign	47	UN	\$250.00	\$11,750.00	\$100.00	\$4,700.00	\$250.00	\$11,750.00		
24	Tree Removal, Over 24" to 30" Diameter	3	UN	\$1,500.00	\$4,500.00	\$2,000.00	\$6,000.00	\$4,000.00	\$12,000.00		
25	Tree Removal, Over 30" to 36" Diameter	1	UN	\$2,000.00	\$2,000.00	\$ 3,500.00	\$3,500.00	\$ 4,500.00	\$4,500.00		
26	Tree Removal, Over 36" Diameter	1	UN	\$2,500.00	\$2,500.00	\$ 4,000.00	\$4,000.00	\$ 5,000.00	\$5,000.00		
27	Street Tree	5	UN	\$750.00	\$3,750.00	\$ 500.00	\$2,500.00	\$ 500.00	\$2,500.00		
28	Fuel Price Adjustment	400	DOL	\$1.00	\$400.00	\$ 1.00	\$400.00	\$ 1.00	\$400.00		
29	Asphalt Price Adjustment	700	DOL	\$1.00	\$700.00	\$ 1.00	\$700.00	\$ 1.00	\$700.00		
TOTAL BASE BID #1:				\$406,865.00		\$342,513.13		\$398,799.00		No Bid Received	
Base BID #2: WASHINGTON AVE											
30	Clearing Site	1	LS	\$20,000.00	\$20,000.00	\$ 24,228.85	\$24,228.85	\$ 15,703.95	\$15,703.95		
31	Base Repair (If and Where Directed)	425	SY	\$5.00	\$2,125.00	\$ 0.01	\$4.25	\$ 0.01	\$4.25		
32	8" Full Depth Reclamation	3320	SY	\$27.00	\$89,640.00	\$ 34.00	\$112,880.00	\$ 32.65	\$108,398.00		
33	HMA Milling, 0" - 3" Thick	920	SY	\$7.00	\$6,440.00	\$ 4.88	\$4,489.60	\$ 9.20	\$8,464.00		
34	HMA 9.5M64 Surface Course	710	TONS	\$100.00	\$71,000.00	\$ 99.00	\$70,290.00	\$ 116.50	\$82,715.00		
35	Fabric Joint Sealing (If and Where Directed)	500	LF	\$3.00	\$1,500.00	\$ 0.01	\$5.00	\$ 0.50	\$250.00		
36	Polymerized Joint Adhesive	1480	LF	\$3.00	\$4,440.00	\$ 0.01	\$14.80	\$ 0.01	\$14.80		
37	6"x9"x18" Concrete Vertical Curb	1290	LF	\$65.00	\$83,850.00	\$ 43.00	\$55,470.00	\$ 45.00	\$58,050.00		
38	Concrete Sidewalk, 4" Thick	14	SY	\$110.00	\$1,540.00	\$ 145.00	\$2,030.00	\$ 120.00	\$1,680.00		
39	Concrete Driveway, 6" Thick, Reinforced	45	SY	\$160.00	\$7,200.00	\$ 145.00	\$6,525.00	\$ 140.00	\$6,300.00		
40	Reconstruct Inlet, Type B, Open Bottom	2	UN	\$3,000.00	\$6,000.00	\$ 7,000.00	\$14,000.00	\$ 1,000.00	\$2,000.00		
41	15" Perforated Corrugated Plastic Pipe	80	LF	\$120.00	\$9,600.00	\$ 100.00	\$8,000.00	\$ 200.00	\$16,000.00		
42	Remove and Replace Manhole Frame & Casting	2	UN	\$1,200.00	\$2,400.00	\$ 750.00	\$1,500.00	\$ 1,000.00	\$2,000.00		
43	Traffic Stripes, Long-Life Epoxy Resin, 6"	330	LF	\$1.00	\$330.00	\$ 6.25	\$2,062.50	\$ 4.00	\$1,320.00		
44	Regulatory and Warning Sign	12	UN	\$250.00	\$3,000.00	\$ 100.00	\$1,200.00	\$ 250.00	\$3,000.00		
45	Tree Removal, Over 24" to 30" Diameter	1	UN	\$1,500.00	\$1,500.00	\$ 2,400.00	\$2,400.00	\$ 4,000.00	\$4,000.00		
46	Tree Removal, Over 30" to 36" Diameter	1	UN	\$2,000.00	\$2,000.00	\$ 3,500.00	\$3,500.00	\$ 4,500.00	\$4,500.00		
47	Street Tree	2	UN	\$750.00	\$1,500.00	\$ 500.00	\$1,000.00	\$ 500.00	\$1,000.00		
48	Fuel Price Adjustment	200	DOL	\$1.00	\$200.00	\$ 1.00	\$200.00	\$ 1.00	\$200.00		
TOTAL BASE BID #2:				\$314,265.00		\$309,800.00		\$315,600.00		No Bid Received	
TOTAL BASE BID #1 + TOTAL BASE BID #2:				\$721,130.00		\$652,313.13		\$714,399.00		No Bid Received	

ENVIRONMENTAL RESOLUTIONS, INC.
 BID SUMMARY REPORT
 BID OPENING: 4/9/2025 at 10 AM

2024 & 2025 NJDOT Road Improvement Programs, Cherrix Ave & Washington Ave
 TOWNSHIP OF EDGEWATER PARK
 63055 07 & 08



Paving Plus, LLC

PO Box 508
 Franklinville, NJ 08322
 P: (856)-404-9166

Black Rock Enterprises LLC

1316 Englishtown Road
 Old Bridge, NJ 08857
 P: (732)-967-6400

Command Co., Inc.

1318 Antwerp Avenue
 Egg Harbor City, NJ 08215
 P: (609)-965-0399

NO	DESCRIPTION	QUANTITY	UNIT	UNIT PR.	AMOUNT	UNIT PR.	AMOUNT	UNIT PR.	AMOUNT		
Base BID 1#: CHERRIX AVE				No Bid Received		No Bid Received		No Bid Received		No Bid Received	
1	Clearing Site	1	LS								
2	Base Repair (If and Where Directed)	940	SY								
3	8" Full Depth Reclamation	65	SY								
4	HMA Milling, 0" - 3" Thick	6300	SY								
5	HMA 9.5M64 Surface Course	775	TONS								
6	Fabric Joint Sealing (If and Where Directed)	2500	LF								
7	Polymerized Joint Adhesive	2050	LF								
8	Raised Crosswalk	2	UN								
9	6"x9"x18" Concrete Vertical Curb	1832	LF								
10	Monolithic Concrete Curb and Gutter	95	LF								
11	Concrete Header Curb (If and Where Directed)	50	LF								
12	Concrete Sidewalk, 4" Thick	215	SY								
13	Concrete Sidewalk, 4" Thick (If and Where Directed)	25	SY								
14	Detectable Warning Surface	16	SY								
15	Concrete Driveway, 6" Thick, Reinforced	56	SY								
16	Concrete Driveway, 6" Thick, Reinforced (If and Where Directed)	10	SY								
17	Reconstruct Inlet, Type B, Using New Frame & Grate	8	UN								
18	Reconstruct Inlet, Type B, Using Existing Frame & Grate	1	UN								
19	Inlet Eco Head	9	UN								
20	Remove and Replace Manhole Frame & Casting	9	UN								
21	Traffic Stripes, Thermoplastic, 8"	475	LF								
22	Traffic Stripes, Thermoplastic, 24"	354	LF								
23	Regulatory and Warning Sign	47	UN								
24	Tree Removal, Over 24" to 30" Diameter	3	UN								
25	Tree Removal, Over 30" to 36" Diameter	1	UN								
26	Tree Removal, Over 36" Diameter	1	UN								
27	Street Tree	5	UN								
28	Fuel Price Adjustment	400	DOL								
29	Asphalt Price Adjustment	700	DOL								
TOTAL BASE BID #1:				No Bid Received		No Bid Received		No Bid Received		No Bid Received	
Base BID #2: WASHINGTON AVE											
30	Clearing Site	1	LS								
31	Base Repair (If and Where Directed)	425	SY								
32	8" Full Depth Reclamation	3320	SY								
33	HMA Milling, 0" - 3" Thick	920	SY								
34	HMA 9.5M64 Surface Course	710	TONS								
35	Fabric Joint Sealing (If and Where Directed)	500	LF								
36	Polymerized Joint Adhesive	1480	LF								
37	6"x9"x18" Concrete Vertical Curb	1290	LF								
38	Concrete Sidewalk, 4" Thick	14	SY								
39	Concrete Driveway, 6" Thick, Reinforced	45	SY								
40	Reconstruct Inlet, Type B, Open Bottom	2	UN								
41	15" Perforated Corrugated Plastic Pipe	80	LF								
42	Remove and Replace Manhole Frame & Casting	2	UN								
43	Traffic Stripes, Long-Life Epoxy Resin, 6"	330	LF								
44	Regulatory and Warning Sign	12	UN								
45	Tree Removal, Over 24" to 30" Diameter	1	UN								
46	Tree Removal, Over 30" to 36" Diameter	1	UN								
47	Street Tree	2	UN								
48	Fuel Price Adjustment	200	DOL								
TOTAL BASE BID #2:				No Bid Received		No Bid Received		No Bid Received		No Bid Received	
TOTAL BASE BID #1 + TOTAL BASE BID #2:				No Bid Received		No Bid Received		No Bid Received		No Bid Received	